

MICMAC FIRE AND SAFETY

Clothing - Firefighter Hoods

FHD-1

American Firewear "Comfort Top" Hoods

Material: Inner Nomex®/Lenzing, 2-Layers, Outer Pbi™
Style: Squared Front, Rear Bib with Shoulder Notches
Model: HD-300-22527FNF



Material: Inner Nomex®/Lenzing, Outer P-84:reg; (Natural)
Style: Squared Front, Rear Bib with Shoulder Notches
Model : HD-300-22827FNF



Honeywell

First Responder Products

Material: Nomex® 100%, 2-Layers
Style: Rounded Bib with Shoulder Notches, Full Drape
Model: HD-FDN



Material: Pbi™, 2-Layers
Style: Rounded Bib with Shoulder Notches, Full Drape
Model: HD-FDPBIR



Honeywell

First Responder Products

Material: HTC™ Carbon Blend, 2-Layers
Style: Rounded Bib with Shoulder Notches, Full Drape
Model: HD-FDHTC



Material: P-84® Blend (Natural), 2-Layers
Style: Rounded Bib with Shoulder Notches, Full Drape
Model - HD-FDP84N



Honeywell

First Responder Products



Maritime Provinces
Phone: (902) 468-6060
Fax: (902) 468-9090
Toll Free (800) 667-3030

Newfoundland
Phone: (709) 747-3099
Fax: (709) 747-3098
Toll Free (888) 941-6224

MICMAC FIRE AND SAFETY

FHD-2

Clothing - Firefighter Hoods

American Firewear "**Comfort Top**" Hoods

Material: Nomex® 100%, 2-Layers

Style: Squared Front, Rear Bib with Shoulder Notches

Model: HD-300-22007FNF



Material: Pbi™ 100%, 2-Layers

Style: Squared Front, Rear Bib with Shoulder Notches

Model: HD-300-22557FNF



Material: HTC™ Carbon Blend, 2-Layers

Style: Squared Front, Rear Bib with Shoulder Notches

Model: HD-300-22667FNF



Material: P-84® Blend (Natural), 2-Layers

Style: Squared Front, Rear Bib with Shoulder Notches

Model: HD-300-22887FNF



Material: Nomex®/Lenzing, 2-Layers

Style: Squared Front, Rear Bib with Shoulder Notches

Model: HD-300-22227FNF



Honeywell

First Responder Products

Honeywell

First Responder Products



Maritime Provinces
Phone: (902) 468-6060
Fax: (902) 468-9090
Toll Free (800) 667-3030

Newfoundland
Phone: (709) 747-3099
Fax: (709) 747-3098
Toll Free (888) 941-6224

MICMAC FIRE AND SAFETY

Clothing - Firefighter Hoods

FHD-3

Fire-Dex Hoods

The H11 fire hood has a shoulder notch and TrueFit elastic with self fabric binding for a comfortable fit.

H11

General Information

The Fire-Dex H11 Fire Hood features a shoulder notch and TrueFit elastic about the face opening for maximum protection and comfort.

STOCKED ITEM



Fire-Dex's H11 Fire Hood is available in the following double layer fabric combinations:

Code	Outer layer	Weight	Inner layer	Weight
PF	P84/Lenzing (40/60)	8.5 oz.	P84 Blend (40/60)	8.5 oz.
BN	Basofil/NOMEX (40/60)	6 oz.	Basofil/NOMEX (40/60)	6 oz.
NE	NOMEX (100%)	8.5 oz.	NOMEX (100%)	8.5 oz.
PS	PBI/Lenzing (20/80)	6 oz.	PBI/Lenzing (20/80)	6 oz.

The H11 Fire Hood is compliant to NFPA standard 1971, current edition.

Fire-Dex's H61 hood is an economy tube with shoulder notch and bound bottom.

H61

General Information

The Fire-Dex H61 fire hood is offered in all choices of proven materials, including CarbonX® - a fabric highly resistant to heat. A double-layer economy tube with shoulder notch and bound bottom, the H61 fire hood features the TrueFit elastic around the face opening for a tighter seal when wearing an SCBA mask and also provides maximum comfort. The average length of this hood is 13". An XL model is also available and measures an average of 20".

STOCKED ITEM



The H61 fire hood is available in the following double layer fabric combinations:

Code	Outer layer	Weight	Inner layer	Weight
FL	P84/Lenzing (40/60)	8.5 oz.	NOMEX/Lenzing (20/80)	8 oz.
NE	NOMEX	8.5 oz.	NOMEX	8.5 oz.
NL	NOMEX/Lenzing (20/80)	8 oz.	NOMEX/Lenzing (20/80)	8 oz.
PL	PBI /Lenzing (20/80)	6 oz.	NOMEX/Lenzing (20/80)	8 oz.
CX	CarbonX	7 oz.	CarbonX	7 oz.

The H61 Fire Hood is compliant to NFPA standard 1971, current edition.

DuPont™
NOMEX

PBI
gold

P84



Maritime Provinces
Phone: (902) 468-6060
Fax: (902) 468-9090
Toll Free (800) 667-3030

Newfoundland
Phone: (709) 747-3099
Fax: (709) 747-3098
Toll Free (888) 941-6224

MICMAC FIRE AND SAFETY

FHD-4

Clothing - Firefighter Hoods

Stanfield's Hood

FR Double layer fire fighting hood

Style #: FR65

49% Kermel , 49% Lenzing, 2% spandex FR Rib. Double layer thickness. Rib tubing on face opening. "Quick Stretch" face opening to accommodate SCBA. Bottom edge has crochet finish. Shoulder length. All seams are flatlocked.

Underwriters laboratories certified to NFPA 1971 (2007 edition)

Sizes: One size fits all

Color: Navy (# 125)


STOCKED ITEM



EASY SEAL™

Specification NN23

LIFE LINERS™



Measurements 9723ES	
A-B	4.0"
C-D	8.5"
E-F	6.5"
H-I	10.5"
G-J	4.0"
J-L	6.0"
H-N	8.0"
A-K	13.0"
K-M	3.0"

Part Number: NN23

Fabric:

Content: 100% Nomex
 Weight: 8.2 oz sq yd
 Construction: 1x1 Rib Knit
 Stretch: 100%
 Color: White



9723ES

Head Design:

Style: Separate head with sewn on back and front bib. The back of the head ends at the nape of the upper neck. The back bib is sewn at this point.

Layers: Two

Measurements: See chart above

Bib Design:

Style: A two piece double layer yoke style bib is sewn to the head and forms a neck seam. The front and back bib are joined at the shoulder to form a notched shoulder seam on either side of the head.

Layers: Two

Measurements: See chart above

Face Opening:

Face Opening Sewn with 1/2 inch elastic
 Relaxed Measurement: 5 to 5.5 inches
 Fully Stretched Measurement: Exceeds 15 inches

Construction:

Head Seams: All head and bib seams sewn with flat lock stitch.
 Face Opening: Elastic sewn to edge with three thread overlock stitch; turned under and sewn with a two needle cover stitch.
 Binding: One and a half inch binding sewn to hem through folder with a three thread cover stitch to create a 1/2 inch finished bound hem.
 Thread: 100% Nomex

Labels:

FR label. All four label edges sewn to the hood.

Certification:

Classified by Underwriters Laboratories to meet NFPA Standard 1971 2007 edition.



Maritime Provinces
 Phone: (902) 468-6060
 Fax: (902) 468-9090
 Toll Free (800) 667-3030

Newfoundland
 Phone: (709) 747-3099
 Fax: (709) 747-3098
 Toll Free (888) 941-6224